

2014/11/10

## COURAGIA M/T

SER	SIZE	PR	LI/SS	OVERALL mm	Diameter in	Section Width mm	in	Standard Rim in	Approved Rim Width	Tread Width mm	in	Tread Depth in	mm	Weight KG	MAX.PSI cold	Max. Load KGS	LBS	UTQG	Side Wall	Tyres	RR	Wet Grip	(dBS)	E_Sound
65	LT275/65R18	8	119/1160	824	32.4	275	10.8	8.0	7.5- 9.0	216	8.5	20	15.6	23.7	65	1360/	2998/	N/A	BSW	N/A	N/A	N/A	N/A	N/A
70	LT265/70R17	10	121/1180	810	31.9	272	10.7	8.0	7.0- 8.5	212	8.3	20	15.9	25.9	80	1450/1320	3195/2910	-- -	OWL	N/A	N/A	N/A	N/A	N/A
	LT285/70R17	8	121/1180	840	33.1	287	11.3	8.5	8.0- 9.0	228	9.0	20	15.9	25.6	65	1450/1320	3195/2910	N/A	OWL	N/A	N/A	N/A	N/A	N/A
75	LT235/75R15	6	104/1010	734	28.9	228	9.0	6.5	6.0- 7.0	168	6.6	19	15.0	17.0	50	900/ 825	1985/1820	-- -	OWL	N/A	N/A	N/A	N/A	N/A
75	LT225/75R16	10	115/1120	N/A	N/A	N/A	N/A	N/A	N/A N/A	N/A	N/A	N/A	N/A	17.9	80	1215/1120	2679/2469	N/A	BSW	N/A	N/A	N/A	N/A	N/A
	LT245/75R16	10	120/1160	781	30.7	244	9.6	6.0	6.5- 8.0	178	7.0	19	15.0	20.7	80	1400/1260	3086/2778	N/A	BSW	N/A	N/A	N/A	N/A	N/A
	LT265/75R16	8	119/1160	807	31.8	260	10.2	7.5	7.0- 8.0	193	7.6	19	15.0	23.4	65	1360/1250	3000/2755	-- -	OWL	N/A	N/A	N/A	N/A	N/A
	LT285/75	8	122/1190	835	32.9	281	11.1	8.0	7.5- 9.0	208	8.2	19	15.0	25.6	65	1500/1360	3305/3000	-- -	OWL	N/A	N/A	N/A	N/A	N/A
80	LT205/80R16	8	110/1080	734	28.9	210	8.3	5.5	5.0- 7.0	160	6.3	19	15.0	17.3	65	1060/1000	2337/2205	-- -	OWL	N/A	N/A	N/A	N/A	N/A
85	LT235/85R16	10	120/1160	806	31.7	231	9.1	6.5	6.0- 7.5	170	6.7	19	15.0	21.5	80	1400/1260	3086/2778	-- -	OBL	N/A	N/A	N/A	N/A	N/A
80	30* 9.50R15	6	1040	757	29.8	252	9.9	7.5	6.5- 8.5	192	7.6	19	15.0	19.9	35	900	1985	-- -	OWL	N/A	N/A	N/A	N/A	N/A
	31*10.50R15	6	1090	785	30.9	268	10.6	8.5	7.0- 9.0	200	7.9	19	15.0	21.6	50	1030	2270	-- -	OWL	N/A	N/A	N/A	N/A	N/A
	33*12.50R15	6	1080	833	32.8	325	12.8	10.0	8.5-11.0	248	9.8	19	15.0	28.3	35	1000	2205	-- -	OWL	N/A	N/A	N/A	N/A	N/A
	35*12.50R15	6	1130	883	34.8	343	13.5	10.0	9.5-10.5	252	9.9	21	16.7	29.5	35	1150	2535	N/A	BSW	N/A	N/A	N/A	N/A	N/A
80	35*12.50R17	10	1250	884	34.8	313	12.3	10.0	9.5-10.5	248	9.8	21	16.7	33.7	65	1650	3637	-- -	OWL	N/A	N/A	N/A	N/A	N/A
80	35*12.50R18	10	1230	886	34.9	309	12.2	10.0	9.5-10.5	248	9.8	21	16.7	34.0	65	1550	3415	-- -	BSW	N/A	N/A	N/A	N/A	N/A
80	33*12.50R20	10	1140	833	32.8	313	12.3	10.0	9.5-10.5	256	10.1	21	16.7	28.5	65	1180	2600	-- -	BSW	N/A	N/A	N/A	N/A	N/A
	35*12.50R20	10	1210	883	34.8	318	12.5	10.0	8.5-11.0	256	10.1	21	16.3	32.4	65	1450	3195	-- -	BSW	N/A	N/A	N/A	N/A	N/A

=====  
P-Code

=====  
46GG83FE

-----  
46FF73FE  
46HF73FE

-----  
46CE53FE

-----  
46BE63FE  
46DE63FE  
46FE63FE  
46HE63FE

-----  
46OD63FE

-----  
46CC6AFE

-----  
46KA53FE  
46MB53FE  
46OC53FE  
46OD5AFE

-----  
46OD73FE

-----  
46OD8AFE

-----  
46OC0AFE  
46OD0AFE  
-----